

# Application Advice

# Asparagus

Standard application rates for organic farming

Organic agriculture As of May 2024



## Immerse seeds

Water	100 l
<b>AKRA</b> Saat-Power	1 l

- ⚙ Strengthens root and bulb formation.
- ⚙ Leave the seeds in the solution for 5 minutes.

## Seed treatment | for 100 kg of seeds

<b>AKRA</b> Saat-Power	0.5 l
<b>AKRA</b> Sulpur+	0.1 l (when needed)

## Planting out

### Soil fertilising

<b>AKRA</b> DGC	As needed depending on fractional soil analyses
<b>AKRA</b> Kombi	250 kg annually

## Young plants – before furrow preparation (when needed) watch out for pests and fungal diseases

Water	150–200 l
<b>AKRA</b> Plus 9	0.25 l
<b>AKRA</b> Blatt	1 l
<b>AKRA</b> Azotobacter	1 l
<b>AKRA</b> MSB	1 l
<b>AKRA</b> Sulpur+	1 l
<b>AKRA</b> WD	0.5 l

## Spring (residue treatment and bud spraying)

Water	200 l
<b>AKRA</b> Stroh R+P+K	2 l
<b>AKRA</b> MSB	2 l
<b>AKRA</b> Sulpur+	2 l
<b>AKRA</b> WD	1 l
Wetting agent	

## Around 4 weeks after harvesting (watch out for asparagus rust and fly)

Water	400 l
<b>AKRA</b> Plus 9	0.5 l
<b>AKRA</b> Blatt	2 l
<b>AKRA</b> MSB	1 l
<b>AKRA</b> Azotobacter	0.25 l
<b>AKRA</b> Azo+	0.25 l
<b>AKRA</b> Sulpur+	2 l
<b>AKRA</b> WD	0.5 l
<b>AKRA</b> org. liquid fertiliser	20 l

## Start of row closure

Water	600 l
<b>AKRA</b> Plus 9	0.5 l
<b>AKRA</b> Blatt	2 l
<b>AKRA</b> MSB	3 l
<b>AKRA</b> Azotobacter	0.5 l
<b>AKRA</b> Sulpur+	6 l
<b>AKRA</b> WD	2 l
<b>AKRA</b> org. liquid fertiliser	20 l
Wetting agent	

## INFO

- ⚙ The pH value of the spray solution should be adjusted to 5.5 with citric acid.
- ⚙ The further addition of other **AKRA** products can and may reduce the pH value of the spray solution.
- ⚙ Mix in any other products individually once the pH value has been adjusted.
- ⚙ Make sure that you add the additional products in the right order.
- ⚙ Do not spray in direct sunlight.
- ⚙ The dosage of **AKRA** foliar fertiliser must be adjusted to the quantity of water used.

**SUCCESS**

WITH THE **AKRA FERTILISING SYSTEM**

» Guaranteed

