

Application Advice

Cabbages

Standard application rates

Conventional agriculture As of May 2024



Soil fertilising and seed treatment

Soil fertilising

AKRA Kombi	500 kg
AKRA DGC	As needed depending on fractional soil analyses
Nitrogen	As needed (split into 2 doses)

Seedlings and potted plants (leave in the solution for 1–2 minutes—only pour over plug plants)

Water	100 l
AKRA Saat-Power	1 l

Seed treatment | for 100 kg of seeds

AKRA Saat-Power	0.5 l
AKRA Sulpur+	0.1 l

Foliar fertilising for field-grown plants without liner

Application rate | per ha | from leaf stage 8

Water	300 l
AKRA Plus 9	0.5 l
AKRA Blatt	2 l
Fungicide	When needed (50 % of the recommended application rate)
AKRA Azotobacter	1.5 l
AKRA MSB	1 l
AKRA Sulpur+	1 l
AKRA WD	0.5 l
Urea	2 kg
Wetting agent	

Application rate | per ha | from head formation

Water	500 l
AKRA Plus 9	1 l
AKRA Blatt	4 l
Fungicide	When needed (50 % of the recommended application rate)
AKRA Azotobacter	2 l
AKRA Sulpur+	4 l
AKRA WD	2 l
Urea	4 kg

INFO

- ⚙ **Tip: Watch out for flea beetle!**
- ⚙ The pH value of the spray solution should be adjusted to 5.5 with citric acid.
- ⚙ The addition of **AKRA** foliar fertiliser can and may reduce the pH value of the spray solution.
- ⚙ Mix in any other products individually once the pH value has been adjusted.
- ⚙ Make sure that you add the additional products in the right order.
- ⚙ Do not spray in direct sunlight.
- ⚙ Apply 4 days before and after applying herbicide—do not use **AKRA** foliar fertilisers.
- ⚙ The dosage of **AKRA** foliar fertiliser must be adjusted to the quantity of water used.

