

Conventional agriculture As of May 2024



Soil fertilising and seed treatment

Soil fertilising

AKRA Kombi	200–300 kg
AKRA DGC	As needed depending on fractional soil analyses

Seed treatment | for 100 kg of seeds

AKRA Saat-Power	0.4–0.5 l
AKRA Sulpur+	0.1 l (when needed)

Autumn spraying

General

- ⚙ Prevents mildew, net blotch, rhynchosporium, viral diseases
- ⚙ Vectors: lice, frit fly

Application

- ⚙ Leaf stage 2–3
- ⚙ 8 hours, minimum +6°C

Application rate | per ha

Water	150–200 l
AKRA Plus 9	0.25 l
AKRA Blatt	1 l
AKRA MSB	1 l
AKRA Sulpur+	1 l
AKRA WD	0.5 l

Spring spraying

General

- ⚙ Plant strengthening agent at vegetation start

Application

- ⚙ GS 20–23
- ⚙ 8 hours, minimum +6°C

Application rate

Water	150–200 l
AKRA Plus 9	0.25 l
AKRA Blatt	1 l
Fungicide	When needed (25 % of the recommended application rate)
AKRA MSB	1 l
AKRA Azotobacter	0.25 l
AKRA Azo+	0.25 l
AKRA Sulpur+	1 l
AKRA WD	0.2 l
Urea	5 kg

Spraying (GS 31–49)

Application rate

Water	200 l
AKRA Plus 9	0.5 l
AKRA Blatt	2 l
Fungicide	When needed (50 % of the recommended application rate)
AKRA MSB	1 l
AKRA Azotobacter	0.25 l
AKRA Azo+	0.25 l
AKRA Sulpur+	2 l
AKRA WD	0.2 l
Urea	10 kg



Protein spraying (from the beginning to the end of the dough stage)

Application rate

Water	100 l
AKRA Plus 9	0.5 l
Urea	10 kg

INFO

- ⚙ The pH value of the spray solution should be adjusted to 5.5 with citric acid.
- ⚙ The addition of **AKRA** foliar fertiliser can and may reduce the pH value of the spray solution.
- ⚙ Mix in any other products individually once the pH value has been adjusted.
- ⚙ Do not spray in direct sunlight.
- ⚙ Apply 4 days before and after applying herbicide—do not use **AKRA** foliar fertilisers.
- ⚙ Make sure that you add the additional products in the right order.
- ⚙ The dosage of **AKRA** foliar fertiliser must be adjusted to the quantity of water used.

SUCCESS

WITH THE **AKRA FERTILISING SYSTEM**

» Guaranteed

