Application Advice

Cereals



Standard application rates for organic farming

Organic agriculture As of May 2024



Soil fertilising and seed treatment

Soil fertilising

AKRA Kombi	200–300 kg
AKRA DGC	As needed depending on fractional soil analyses

Seed treatment | for 100 kg of seeds

AKRA Saat-Power	0.4–0.5 l
AKRA Sulpur+	0.1l (when needed)

Autumn spraying

General

- Prevents mildew, net blotch, rhynchosporium, viral diseases
- Vectors: lice, frit fly

Application

- Leaf stage 2–3
- 8 hours, minimum +6°C

Application rate | per ha

Water	200 l
AKRA Plus 9	0.25
AKRA Blatt	11
AKRA MSB	11
AKRA Sulpur+	11
AKRA WD	0.5

Application Advice Cereals



Spring spraying

General

Plant strengthening agent at vegetation start

Application

- 8 hours, minimum +6°C

Application rate

Water	200 l
AKRA Plus 9	0.25
AKRA Blatt	11
AKRA MSB	11
AKRA Azotobacter	0.25
AKRA Azo+	0.25 l
AKRA Sulpur+	2
AKRA WD	0.2
AKRA org. liquid fertiliser	101

Spraying (GS 31-49)

Application rate

Water	300 l
AKRA Plus 9	0.5 l
AKRA Blatt	2
AKRA MSB	1
AKRA Azotobacter	0.25 l
AKRA Azo+	0.25 l
AKRA Sulpur+	2
AKRA WD	0.2
AKRA org. liquid fertiliser	20

Application Advice Cereals



INFO

- The pH value of the spray solution should be adjusted to 5.5 with citric acid.
- The addition of **AKRA** foliar fertiliser can and may reduce the pH value of the spray solution.
- Mix in any other products individually once the pH value has been adjusted.
- Do not spray in direct sunlight.
- Make sure that you add the additional products in the right order.
- The dosage of AKRA foliar fertiliser must be adjusted to the quantity of water used.



