

Application Advice

Maize


Standard application rates

Conventional agriculture As of May 2024



Maize cultivation

Stages of development



Soil fertilising and seed treatment

Soil fertilising

AKRA Kombi 250–350 kg

AKRA DGC As needed depending on fractional soil analyses

Seed treatment | for 100 kg of seeds

AKRA Saat-Power 0.4–0.5 l

AKRA Sulpur+ 0.1 l (when needed)

Foliar fertilising

Application time

- ⚙ 1st spraying GS 13–14 (½ recommended application rate)
- ⚙ 2nd spraying GS 28–30 (full application rate)

Application rate | per ha

Water	150–200 l
AKRA Plus 9	1 l
AKRA Blatt	4 l
AKRA MSB	1 l
AKRA Azotobacter	0.5 l
AKRA Azo+	0.5 l
AKRA Sulpur+	2 l
AKRA WD	0.5 l
Urea	10 kg

INFO

- ⚙ Spread max. 100 kg of nitrogen per hectare.
- ⚙ The pH value of the spray solution should be adjusted to 5.5 with citric acid.
- ⚙ The addition of **AKRA** foliar fertiliser can and may reduce the pH value of the spray solution.
- ⚙ Mix in any other products individually once the pH value has been adjusted.
- ⚙ Do not spray in direct sunlight.
- ⚙ Apply 4 days before and after applying herbicide—do not use **AKRA** foliar fertilisers.
- ⚙ Make sure that you add the additional products in the right order.
- ⚙ The dosage of **AKRA** foliar fertiliser must be adjusted to the quantity of water used.

SUCCESS

WITH THE **AKRA FERTILISING SYSTEM**

» Guaranteed

