


Onions and Other Bulb Vegetables

Standard application rates for organic farming

Organic agriculture As of May 2024



Stages of development



Spreading

AKRA Kombi 400 kg

Seed treatment | for 100 kg of seeds

AKRA Saat-Power 0.5 l

- ⚙ For every 1 l **AKRA Saat-Power**, use 100 l of water for onion sets
- ⚙ Immerse in the solution for 1–2 minutes

Application of foliar fertiliser

Water	300 l
AKRA Plus 9	1 l
AKRA Blatt	2 l
AKRA MSB	2 l
AKRA Azotobacter	0.5 l
AKRA Azo+	0.5 l
AKRA Sulpur+	3 l
AKRA WD	1 l
AKRA org. liquid fertiliser	10 l
Wetting agent	

INFO

- ⚙ The pH value of the spray solution should be adjusted to 5.5 with citric acid.
- ⚙ Mix in any other products individually once the pH value has been adjusted.
- ⚙ The addition of **AKRA** foliar fertiliser can and may reduce the pH value of the spray solution.
- ⚙ Make sure that you add the additional products in the right order.
- ⚙ With thrips infestations, spray at least twice – 4–6 days after the first application with any subsequent applications being done at 10-day intervals
- ⚙ The dosage of **AKRA** foliar fertiliser must be adjusted to the quantity of water used.

