Application Advice

Pumpkins



Standard application rates

Conventional agriculture As of May 2024





Soil fertilising and seed treatment

Soil fertilising

AKRA Kombi	350 kg
AKRA DGC	As needed depending on fractional soil analyses
Nitrogen	As needed

Seed treatment | for 100 kg of seeds

AKRA Saat-Power	0.5 l
AKRA Sulpur+	0.2 l (when needed)

Foliar fertilising

Application rate | per ha

With shoot length of 30 cm

Water	200 l
AKRA Plus 9	0.5
AKRA Blatt	2
AKRA MSB	11
AKRA Azotobacter	11
AKRA Sulpur+	21
AKRA WD	0.2
Urea	1 kg

Application Advice **Pumpkins**



From the start of flowering to full flowering

Water	300
AKRA Plus 9	0.5
AKRA Blatt	21
Fungicide	When needed (50 % of the recommended application rate)
AKRA MSB	1 l
AKRA Azotobacter	1
AKRA Sulpur+	21
AKRA WD	0.2

INFO

- The pH value of the spray solution should be adjusted to 5.5 with citric acid.
- The addition of **AKRA** foliar fertiliser can and may reduce the pH value of the spray solution.
- Mix in any other products individually once the pH value has been adjusted.
- Make sure that you add the additional products in the right order.
- Do not spray in direct sunlight.
- Apply 4 days before and after applying herbicide–do not use AKRA foliar fertilisers.
- The dosage of AKRA foliar fertiliser must be adjusted to the quantity of water used.



