

Application Advice

Stone Fruit

Standard application rates

Conventional agriculture As of May 2024



Soil fertilising and seed treatment

Soil fertilising

AKRA Kombi	500 kg
AKRA DGC	Depending on fractional soil analyses
Nitrogen	As needed

Seedlings–Young plants

Water	100 l
AKRA Saat-Power	1 l

- ⚙ Leave bare root plants in the solution for 8–12 hours after root pruning
- ⚙ Leave potted plants in the solution for 3- 5 minutes

Foliar fertilising

Application rate | per ha

Flowering or during petal fall

Water	200 l
AKRA Plus 9	1 l

After fruit abscission

Water	600 l
AKRA Blatt	4 l
AKRA Plus 9	2 l
Fungicide	When needed (50 % of the recommended application rate)
AKRA MSB	2 l
AKRA Sulpur+	2 l
AKRA WD	1 l

INFO

- ⚙ The pH value of the spray solution should be adjusted to 5.5 with citric acid.
- ⚙ The addition of **AKRA** foliar fertiliser can and may reduce the pH value of the spray solution.
- ⚙ Mix in any other products individually once the pH value has been adjusted.
- ⚙ Make sure that you add the additional products in the right order.
- ⚙ Do not spray in direct sunlight.
- ⚙ Apply 4 days before and after applying herbicide—do not use **AKRA** foliar fertilisers.
- ⚙ The dosage of **AKRA** foliar fertiliser must be adjusted to the quantity of water used.

SUCCESS

WITH THE **AKRA FERTILISING SYSTEM**

» Guaranteed

Page: 2/2


retrieve application
advice online

